# PeVino

THE ULTIMATE WINE COOLER







### PEVINO THE ULTIMATE WINE COOLER


At Pevino we take **great pride** in being a manufacturer of **premium wine coolers** for even the most discerning wine enthusiast. As a **Danish brand** we are deeply rooted in the Scandinavian design tradition, and all our products are designed at our own facilities.

All wine coolers in the Pevino 2021 Collection are characterized by **minimalistic design aesthetics**, a consistent high level of build quality and a passionate focus on **every single detail**.

Welcome to the world of Pevino.

| PEVINO MS  | 10-13 |
|--|-------|
| Pevino MS 161 btl Single zone<br>PM248S                                      | 12-13 |
| Pevino MS 161 btl Single zone<br>PMW248S                                     | 12-13 |
| PEVINO BI  | 16-27 |
| Pevino BI 96 btl Single zone<br>PBI100S-HHB                                  | 20    |
| Pevino BI 96 btl Dual zone<br>PBI100D-HHB                                    | 21    |
| Pevino BI 54 btl Single zone<br>PBI58S-HHB                                   | 24-25 |
| Pevino BI 54 btl Dual zone<br>РВI58D-ННВ                                     | 26-27 |
| PEVINO NG  | 30-51 |
| Pevino NG 200 btl Single zone<br>PNG1805                                     | 38    |
| Pevino NG 190 btl Dual zone<br>PNG180D                                       | 40    |
| Pevino NG 180 btl Triple zone<br>PNG180T                                     | 41    |
| Pevino NG 130 btl Single zone<br>PNG120S                                     | 42    |
| Pevino NG 120 btl Dual zone<br>PNG120D                                       | 43    |
| Pevino NG 95 btl Single zone<br>PNG88S                                       | 44    |
| Pevino NG 88 btl Dual zone<br>PNG88D   | 45    |
| Pevino NG 46 btl Single zone<br>PNG46S                                       | 48    |
| Pevino NG 39 btl Dual zone<br>PNG46D   | 49    |
| Pevino NG 20 btl Single zone<br>PNG20S                                       | 50-51 |
| PEVINO INTEGRATED  | 52-63 |
| Pevino Integrated 24 btl Single zone - Black<br><sub>Pl24S-B</sub>           | 56    |
| Pevino Integrated 24 btl Single zone - Stainless Steel<br><sub>Pl24S-S</sub> | 57    |
| Pevino Integrated 42 btl Dual zone - Black<br>Pl48D-B                        | 58    |
| Pevino Integrated 42 btl Dual zone - Stainless Steel<br>PI48D-S              | 59    |
| Pevino 107 btl Single zone - Black glass front                               | 60    |
| Pevino 100 btl Dual zone - Black glass front                                 | 61    |
| Pevino Integrated Push Open 24 btl Single zone - Black<br>Piz4S-BP           | 62    |
| Pevino Integrated Push Open 24 btl Single zone - White<br>Piz4S-WP           | 63    |
| Pevino Integrated Push Open 42 btl Dual zone - Black                         | 64    |
| Pevino Integrated Push Open 42 btl Dual zone - White                         | 65    |
| PEVINO GIANT   | 68-73 |
| Pevino Giant 300 btl Single zone<br>PG300S                                   | 72    |
| Pevino Giant 300 btl Dual zone<br>PG300D                                     | 73    |
| PEVINO CIGAR HUMIDOR   | 76-77 |
| Pevino NG Cigar Humidor 1200 cigars  | 77    |
| PEVINO SPECIFICATIONS  | 78-81 |

## INDEX



## The Pevino 2021 Collection

#### Pevino MS

Inspired by professionals, the impressive Pevino MS stores your wine on 16 horizontally oriented metal shelves for easy access. Holds up to 161 bottles and comes with oak wood or black metal shelf trim.

#### Pevino BI

This brand-new range of wine coolers redefines what a wine cooler should be. The ultra-slim design makes it the ultimate wine cooler for discreet built-in, and it won't take up too much space should you choose to install it as freestanding either.

#### Pevino NG

The backbone of the Pevino line-up, the New Generation range is as good as it gets. The wine coolers are suitable for both builtin and freestanding installation and comes in sizes ranging from 20-200 bottles.

| <u></u> |
|---------|
| <u></u> |
| <u></u> |
| <u></u> |
| 00000   |
| <u></u> |
| 00000   |
| <u></u> |
| 00000   |
|         |
|         |
| 0000    |
|         |
| 88888   |
| 00000   |
|         |

Too much of a good thing? No way. This massive wine cooler stores up to 300 of your precious bottles, and it comes in both single and dual zones versions. The perfect solution for both storage and maturing.

#### **Pevino Integrated**

A perfect match for the contemporary kitchen, the integrated Pevino wine coolers are as subtle as they are stylish. They are available as both single and dual zone, and you can choose between the classic door grip version or the brand-new pushopen edition.

#### Pevino Giant

#### Pevino Cigar Humidor

Customized to serve the needs of even the most discerning cigar aficionado, the Pevino Cigar Humidor holds up to 1200 cigars while giving you full control over both temperature and humidity.





### STORE YOUR WINE LIKE A PROFESSIONAL

This elegant single zone wine cooler lets you store up to 161 bottles on 16 fully retractable horizontal metal shelves. The horizontal layout of the shelves is inspired by top-sommeliers from around the world who appreciate this impressive and highly practical design that ensures easy access to every single bottle. M. I.

## PEVINO MS 161 BTL. SINGLE ZONE

124

N2

· Constant

A . . . Market .

.....



### A BEAUTIFUL DISPLAY

Inside the Pevino MS your bottles are illuminated by a beautiful orange light, and the clever Winter Function, along with the **built-in alarm** for sudden changes in humidity and temperature, will make sure that your wine is kept safe at all times. The horizontal shelves are available with oak wood trim.


















## THE WINE COOLER - REDEFINED

The brand new Pevino BI (Built-In) range redefines what it means to store your wine in a safe, practical and stylish manner. The innovative Pevino BI models are characterized by a much slimmer design than the average wine cooler, making them your best choice for both built-in and freestanding wine storage.


### PEVINO BI 96 BTL. SINGLE ZONE



LESS IS MORE

Storing your wine in a Pevino BI wine cooler means saving space without compromising on functionality or style. The ultra-slim design is perfectly tailored to the contemporary home and is suitable for both built-in and freestanding installation.







### THE CHOICE IS YOURS

The Pevino BI range includes two sizes for 54 and 96 bottles, respectively. Both sizes are available in either single or dual zone and include an impressive attention to details such as an energy efficient LOW-E glass door, fully retractable oak wood and metal shelves and 5 different colors of interior light









### PEVINO BI 54 BTL. SINGLE ZONE

31

-

--

--

---

501 -61

- 61

10

10

#### HORIZONTAL PERSPECTIVE

54 BOTTLES

42 dB

Your wine is stored horizontally on unique oak wood and metal shelves, ensuring easy and convenient access to the bottles. This is a shelf configuration often used by professionals such as restaurants. LED

> Furthermore this horizontal perspective has allowed our designers to create a completely new type of wine cooler, that takes up a lot less space than the average wine cooler on the market.



// | \







#### ALL THE COLORS OF THE RAINBOW

With their ultra-slim design, the Pevino BI wine coolers are truly discreet and practical, but that doesn't mean they are boring. Not by a long shot.

You can personalize your Pevino BI by choosing between five diifferent interior light colors, and the backlit display panel glows in a beautiful orange hue


1 A CONTRACT OF CONTRACT ř 👝 

## How to place your wine cooler

So, you know you want a wine cooler. But where to place it? Let's take a look at three of the most common ways to install a wine cooler.

### Freestanding

The most common way to place a wine cooler is freestanding on either the floor or a tabletop. Make sure to place the cabinet so that there's about ten centimeters of space on each side, and five centimeters on the back. That way, you'll ensure that your wine cooler can dispose of any excess heat.



### Built-in

A built-in wine cooler typically has the same width as an ordinary kitchen unit (60 cm). This means that you can pull out a unit and fit the wine cooler instead. If you want a built-in wine cooler, it's important that you choose one that has been prepared for this specifically. The cabinet typically has its air intake at the front of its base near the socket.



### Integrated

An integrated wine cooler is the perfect match for the modern kitchen. The front of an integrated model is slightly wider than the rest of the wine cooler, ensuring a perfect fit into a standard sized kitchen cabinet. When choosing to integrate a wine cooler into an existing kitchen cabinet you need to make sure that the hot air generated by the wine cooler is able to escape through an opening in the kitchen cabinet. Additionally, you'll need an air intake in the bottom of the kitchen cabinet.









### THE NEW GENERATION

The Pevino New Generation (NG) range is at the heart of Pevino's 2021 Collection, and it serves the need of just about every wine collection imaginable. Pevino NG wine coolers are all suitable for built-in and are filled to the brim with the latest technology and features, giving your wine the best possible storage conditions.







Black steel front



Black trim

Stainless steel trim

#### MAKE IT YOURS

Display your own personal taste by customizing your Pevino NG wine cooler with shelf trimmings in either black aluminium, stainless steel or beech wood. A unique look for a unique collection of wine.

Stainless steel front

#### ATTENTION TO DETAIL

The fully retractable (80%) shelves are illuminated by a soft light (choose between orange, blue and white), and the backlit LED display gives you full control over the interior temperature of the wine cooler. The use of the best performing compressor and ventilators available makes the Pevino NG range one of the most reliable and silent in its class.





Wood trim







39 dB

#### ENERGY EFFICIENT

At Pevino we believe that a premium wine cooler should also be an energy efficient wine cooler. Due to innovative technological solutions such as the use of LOW-E glass doors and cutting-edge compressors.



#### DON'T BE SHY

The Pevino NG 200 is fitted with one presentation shelf as standard, but why stop at that? Add up to a total of seven presentation shelves to make a lasting impression. Additional presentation shelves are bought separately.



4. 0. 4 12 18 X X % PeVino GAAAA <u>aaaa</u> 00000 





190 BOTTLES

38 dB

LIGHT


#### TAKE CONTROL

All Pevino NG dual zone models boast two completely separate cooling systems. This innovative cooling system lets you decide which cooling zone you want to use for white and sparkling wine and which you want to use for reds. You can even set the two zones to the same temperature. It's all up to you.



### TRIPLE THE EXCITEMENT

5-12°C range of the lower zone is ideal for those chilled white wines.








#### THE ESSENTIALS AT YOUR FINGERTIPS

Designed to cater to all your wine's basic needs such as precise temperature control and UV-protection, the NG range truly covers all the essentials. And then some.







F ENERGY 120 BOTTLES

39 dB


LED





### LET THERE BE LIGHT

All Pevino NG wine coolers are fitted with interior LED lights that illuminate your bottles in either orange, blue or whites tones. The interior light is fully adjustable via the backlit LED display.








#### **READY TO SERVE**

Dual zone cooling is ideal when you need a combination of storage and ready-to-serve. Choose a Pevino NG dual zone model for ultimate flexibility.


#### LONG-TERM SOLUTION

All types of wine should be stored at the same temperature in the long-term, so if you're in it for the long run, you probably need a single zone wine cooler. All Pevino NG single zone models can be set to 5-20°C.



**♦** Φ ✿ <sup>ε δ</sup>/<del>19</del>/15 Δ ⊻ %  $\square \square \square \square \square \square \square$ 00000 









### THE COMPACT WINE COOLER

The Pevino NG46 and NG39 hold a **special place** in the New Generation range. Both are compact and very **well-suited for built-in installation**. Due to their compact design you are able to **open the glass door wide**, even when built-in, and the **clever air circulation system** means easy installation and **instant enjoyment**.

F

46 BOTTLES

36 dB

LED



#### AIR CIRCULATION

Most wine coolers need a bit of space to get rid of excess heat, but the Pevino NG46 and NG39 are different. The only air circulation they need is through the grill at the base of the wine cooler.

#### STORAGE OF WINE AT HOME

The Pevino NG series boasts **very low noise levels** and elegant contemporary design aesthetics, making them **perfectly suited** for kitchen and living room installation.











#### WHICH ONE WILL YOU CHOOSE?

The Pevino NG range has a wine cooler for everyone. The largest model will hold up to 200 bottles and the smallest will hold up to 20 bottles. All of them will provide the best possible storage conditions for your wine.














### A DISCREET WINE-STORAGE SOLUTION

An integrated wine cooler is the perfect match for the modern kitchen. The front of an integrated model is slightly wider than the rest of the wine cooler, ensuring a perfect fit into a standard sized kitchen cabinet. Pevino integrated wine coolers are both practical, aesthetically pleasing and good for your wine.



### SINGLE OR DUAL?

Our integrated wine coolers come in two different sizes, a single zone version that holds up to 24 bottles and a dual zone version for 42 bottles.



### PEVINO 24 BTL. SINGLE ZONE - BLACK





. .....



**PEVINO INTEGRATED** 



### PEVINO 42 BTL. **DUAL ZONE - BLACK**





### DUAL PURPOSE

The integrated dual zone wine coolers from Pevino give you the flexibility to store red and white wine at two different temperatures.


The two cooling zones are both adjustable to 5-20°C. and are unique because they are completely separate. This means that you'll always be in full control.





#### NEW FOR 2021

Go all in with our brand new large-sized integrated wine coolers, that are sure to make a lasting impression. You get the same modern look and functionality featured in our other integrated wine coolers, but with more than twice the bottle capacity.



## PEVINO 100 BTL. DUAL ZONE -BLACK GLASS FRONT

### PEVINO 107 BTL. SINGLE ZONE -BLACK GLASS FRONT











#### PUSH OPEN

The brand-new Pevino integrated wine coolers with Push Open function are the latest in understated elegance. A super discreet solution for the modern kitchen, the wine coolers blend in seamlessly with rest of the kitchen design.


### PEVINO PUSH OPEN 24 BTL. SINGLE ZONE - BLACK











#### THE LIGHT TOUCH

No door handles, just two light touches and the door opens. Access to your precious bottles has never been easier.

### IT'S ALL THERE

The Pevino integrated wine coolers are understated and elegant, but you still get all the good stuff such as retractable oak wood shelves, low noise level and energy consumption, interior LED light and a backlit display.

|               | <br>and it |
|---------------|------------|
|               |            |
| G<br>ENERGY   |            |
| 42<br>BOTTLES |            |
| 40<br>dB      | 6          |
|               |            |
|               |            |
|               |            |
|               |            |



## PEVINO PUSH OPEN 42 BTL. **DUAL ZONE - BLACK**









## Guide to Wine Storage

#### Temperature

As a general rule of thumb all types of wine should be stored at around 12°C, when storing them for longer periods of time. However, when storing your bottles for only a shorter period of time, there are differences between the different types of wine (See page 72). At high temperatures, your wine matures faster and vice versa at low temperatures. The absolute outer extreme limits of storage temperature are below 10°C and above 35°C. This is where the wine will be seriously damaged if stored for a longer period of time.

### Humidity level

A relatively high level of humidity is desirable for safe wine storage. Ideally the humidity level should be kept between 65-75%. If an environment is too dry, the corks may dry out. The only immediate disadvantage of excessive humidity ais the risk of damaging the labels, making the bottle difficult to resell. To avoid this, you could protect the label with a coat of hairspray covering the label or you could wrap the bottle in household plastic wrap.



Wine bottles need a calm and stable environment in order to mature in the ideal manner – just like in a traditional wine cellar. A quality wine cooler should be fitted with an anti-vibration compressor to ensure minimum damage to the wine.



Exposure to too much light will risk damaging the wine, upsetting its aroma, balance and also its color. For that reason, all Pevino wine coolers with glass doors have built-in UV-protection and use only harmless LED light in the interior of the wine coolers.

### Vibrations






### A WINE COOLER GIANT

Less is more, or so the saying goes. Sometimes, however, more is quite simply.. more. That is certainly the case with the Pevino Giant, the largest wine cooler in the Pevino collection. With room for up to 300 bott-les, the Giant is truly awesome, and will serve the needs of even the most hardcore wine collector.

### PEVINO GIANT 300 BTL. SINGLE OR DUAL ZONE



#### MAXIMUM CAPACITY

The Pevino Giant range offers two models with the maximum capacity of 300 bottles of your choice, depending on the selected usage: maturing or storage at service temperature.



#### ULTIMATE CONTROL

Functional and aesthetic, the Giant range was designed to respond to professionals' basic needs thanks to high tech equipment, precise temperature control and a UV-protected glass door.





0000000  $\mathbf{N} \cap \cap \cap \cap$ AAAAAA AGAGAA  $\alpha \alpha \alpha \alpha$ 66666 (m)(m)(m)(m)(m)(m)(m)(m)aaaaaaa66666 

73

## Not too hot, not too cold

In order to get the most out of your wine experience, you should serve your wine at exactly the right temperature.





### PEVINO CIGAR HUMIDOR 1200 CIGARS

#### THE ULTIMATE HUMIDOR

This simply striking cigar humidor is a must-have for the most distinguished collectors of fine cigars.

#### Storing cigars:

Humidity and temperature are the most important factors when it comes to storing and aging cigars. If cigars are stored too dry, they crack. Keep them too warm and humid, and they become moldy.





Most fresh cigars are significantly improved by storage for at least two or three months.





A 1200 <sub>Cigars</sub>






| L        | _ED   |
|----------|-------|
|          | LIGHT |
| <u> </u> |       |

| Product no.            | PNG180S-HHB  | PNG180D-HHB   | PNG180T-HHB   | PNG120S-HHB   | PNG120D-HHB   | PNG88S-HHB   | PNG88D-HHB  | PNG46S-HHB                                      | PNG46D-HHB   | PNG20S-HHB   |
|------------------------|--|---|---|---|---|--|---|---|--|--|
| Page no.               | 38   | 40  | 41  | 42  | 43  | 44   | 45  | 48  | 49   | 51   |
| Serie                  | PNG  | PNG   | PNG   | PNG   | PNG   | PNG  | PNG   | PNG   | PNG  | PNG  |
| Placement              | Built in /Freestanding                             | Built in /Freestanding  | Built in /Freestanding  | Built in /Freestan-<br>ding                             | Built in /Freestanding  | Built in /Freestanding                             | Built in /Freestanding  | Built in /Freestanding                          | Built in /Freestanding   | Built in /Freestanding                             |
| Capacity               | 200  | 190   | 180   | 130   | 120   | 95   | 88  | 46  | 39   | 20   |
| Cooling zones          | Sinle zone   | Dual zone   | Triple zone   | Single zone   | Dual zone   | Single zone  | Dual zone   | Single zone                                     | Dual zone  | Single zone  |
| Energy class           | G  | G   | Summer 2021   | F   | F   | E  | F   | F   | G  | F  |
| Energy<br>consumption  | 154<br>kWh/pr. year                                | 154<br>kWh/pr. year   | -   | 118<br>kWh/pr. year                                     | 116<br>kWh/pr. year   | 88<br>kWh/pr. year                                 | 110<br>kWh/pr. year   | 104<br>kWh/pr. year                             | 127<br>kWh/pr. year  | 96<br>kWh/pr. year                                 |
| Noise level            | 39 dB  | 38 dB   | -   | 41 dB   | 39 dB   | 41 dB  | 41 dB   | 36 dB   | 37 dB  | 40 dB  |
| Watt                   | 150  | 150   | 150   | 150   | 150   | 150  | 150   | 150   | 150  | 150  |
| Temperature<br>range   | 5-20°C   | 5-20°C  | 5-20°C  | 5-20°C  | 5-20°C  | 5-20°C   | 5-20°C 5-20°C   |   | 5-20°C   | 5-20°C   |
| Cooling<br>description | A single stable temperature<br>in the wine cooler. | Individual cooling zones.<br>You choose which zone is cold<br>and warm. | Upper zone: 10-20°C, Middle<br>zone: 10-20°C, Lower zone:<br>5-12°C | A single stable tem-<br>perature<br>in the wine cooler. | Individual cooling<br>zones.<br>You choose which<br>zone is cold<br>and warm. | A single stable temperature<br>in the wine cooler. | Individual cooling zones.<br>You choose which zone is cold<br>and warm. | A single stable temperature in the wine cooler. | Individual cooling zones.<br>You choose which zone is cold<br>and warm | A single stable temperature<br>in the wine cooler. |
| Compressor             | Digital Inverter                                   | Digital Inverter  | Digital Inverter  | Digital Inverter  | Digital Inverter  | Digital Inverter                                   | Digital Inverter  | Digital Inverter                                | Digital Inverter   | Mechanical   |
| Front colour           |  |   |   |   |   |  |   |   |  |  |
| No. of shelves         | 13   | 11  | 11  | 11  | 8   | 7  | 5   | 5   | 4  | 5  |
| Trim colour            |  |   |   |   |   |  |   |   |  |  |
| Shelf type             | Beech wood,<br>Fully<br>retractable                | Beech wood,<br>Fully<br>retractable                                     | Beech wood,<br>Fully<br>retractable                                 | Beech wood,<br>Fully<br>retractable                     | Beech wood,<br>Fully<br>retractable   | Beech wood,<br>Fully<br>retractable                | Beech wood,<br>Fully<br>retractable                                     | Beech wood,<br>Fully<br>retractable             | Beech wood,<br>Fully<br>retractable                                    | Beech wood,<br>Fully<br>retractable                |
| Lighting               | Blue, Orange, White                                | Blue, Orange, White   | Orange  | Blue, Orange, White                                     | Blue, Orange, White   | Blue, Orange, White                                | Blue, Orange, White   | Blue, Orange, White                             | Blue, Orange, White  | Blue, Orange, White                                |
| Reversible door        | $\checkmark$                                       | $\checkmark$  | $\checkmark$  | $\checkmark$  | $\checkmark$  | $\checkmark$                                       | $\checkmark$  | $\checkmark$                                    | $\checkmark$   | $\checkmark$                                       |
| Lockable doors         | $\checkmark$                                       | $\checkmark$  | $\checkmark$  | $\checkmark$  | $\checkmark$  | $\checkmark$                                       | $\checkmark$  | $\checkmark$                                    | $\checkmark$   | $\checkmark$                                       |
| UV-free door<br>glass  | Yes, 3-layer insulation                            | Yes, 3-layer insulation   | Yes, 3-layer insulation   | Yes, 3-layer insulation                                 | Yes, 3-layer insulation   | Yes, 3-layer insulation                            | Yes, 3-layer insulation   | Yes, 3-layer insulation                         | Yes, 3-layer insulation  | Yes, 3-layer insulation                            |
| Temperature<br>alarm   | $\checkmark$                                       | $\checkmark$  | $\checkmark$  | $\checkmark$  | $\checkmark$  | $\checkmark$                                       | $\checkmark$  | $\checkmark$                                    | $\checkmark$   | $\checkmark$                                       |
| Door open<br>alarm     | $\checkmark$                                       | $\checkmark$  | $\checkmark$  | $\checkmark$  | $\checkmark$  | $\checkmark$                                       | $\checkmark$  | $\checkmark$                                    | $\checkmark$   | $\checkmark$                                       |
| Adjustable<br>feet     | $\checkmark$                                       | $\checkmark$  | $\checkmark$  | $\checkmark$  | $\checkmark$  | $\checkmark$                                       | $\checkmark$  | $\checkmark$                                    | $\checkmark$   | $\checkmark$                                       |
|                        | H: 1720mm  | H: 1720mm   | H: 1720mm   | H: 1270mm   | H: 1270mm   | H: 1000mm  | H: 1000mm   | H: 820mm  | H: 820 mm  | H: 820mm   |
| Dimensions             | W: 595mm   | W: 595mm  | W: 595mm  | W: 595mm  | W: 595mm  | W: 595mm   | W: 595mm  | W: 595mm  | W: 595mm   | W: 595mm   |
|                        | D: 725mm   | D: 725mm  | D: 725mm  | D: 725mm  | D: 725mm  | D: 715mm   | D: 715mm  | D: 575mm  | D: 575mm   | D: 575mm   |
| Weight<br>78           | 102 kg   | 102 kg  | 105 kg  | 74 kg   | 74 kg   | 60 kg  | 60 kg   | 44 kg   | 45 kg  | 44 kg  |

|                        |  |   |   |   |   | - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50         |   |   |   |  |  |   |
|------------------------|--|---|---|---|---|---|---|---|---|--|--|---|
| Product no.            | PG300S-B   | PG300D-B  | PMW248S-HHB-1   | PBI100S-HHB                                     | PBI100D-HHB                               | PBI58S-HHB                                      | PBI58D-HHB                                      | Pl48D   | Pl24S   | Pl106S-B   | PI106D-B   | PNGCH180-HHB                                    |
| Page no.               | 72   | 73  | 12-13   | 20  | 21  | 24-25   | 26-27   | 58-59-64-65   | 56-57-62-63   | 60   | 61   | 76-77   |
| Serie                  | PG   | PG  | PM  | PBI   | PBI                                       | PBI   | PBI   | PI  | PI  | PI   | PI   | PNG   |
| Placement              | Freestanding                                       | Freestanding  | Freestanding  | Built in /Freestanding                          | Built in /Freestanding                    | Built in /Freestanding                          | Built in /<br>Freestanding                      | Integrated  | Integrated  | Integrated   | Integrated   | Built in /Freestanding                          |
| Capacity               | 300  | 300   | 161   | 96  | 96  | 54  | 54  | 42  | 24  | 107  | 100  | 1200 cigars                                     |
| Cooling zones          | Single zone  | Dual zone   | Single zone   | Sinle zone                                      | Dual zone                                 | Single zone                                     | Dual zone                                       | Dual zone   | Single zone   | Single zone  | Dual zone  | Single zone                                     |
| Energy class           | G  | В   | G   | G   | G   | G   | В   | G   | G   | G  | G  | -   |
| Energy<br>consumption  | 190<br>kWh/pr. year                                | 260<br>kWh/pr. year                                 | 187<br>kWh/pr. year                                     | 170<br>kWh/pr. year                             | 191<br>kWh/pr. year                       | 153<br>kWh/pr. year                             | 151<br>kWh/pr. year                             | 140<br>kWh/pr. year   | 115<br>kWh/pr. year                                     | 161<br>kWh/pr. year                                  | 161<br>kWh/pr. year  | -   |
| Noise level            | 42 dB  | 42 dB   | 41 dB   | 43 dB   | 44 dB                                     | 42 dB   | 41 dB   | 40 dB   | 40 dB   | 41 dB  | 41 dB  | -   |
| Watt                   | 170  | 170   | 120   | 90  | 90  | 90  | 90  | 150   | 150   | 150  | 150  | 150   |
| Temperature<br>range   | 5-20°C   | 5-20°C  | 5-20°C  | 5-18°C  | 5-16°C<br>&<br>7-18°C                     | 5-18°C  | 5-16°C<br>&<br>7-18℃                            | 5-20°C  | 5-20°C  | 5-20°C   | 5-20°C   | 5-20°C  |
| Cooling<br>description | A single stable temperature<br>in the wine cooler. | Top zone always colder,<br>lower zone always warmer | A single stable tem-<br>perature in the wine<br>cooler. | A single stable temperature in the wine cooler. | Upper zone: 5-16°C,<br>Lower zone: 7-18°C | A single stable temperature in the wine cooler. | Upper zone:<br>5-16°C,<br>Lower zone:<br>7-18°C | Individual cooling zones.<br>You choose which zone<br>is cold and warm. | A single stable tem-<br>perature in the wine<br>cooler. | A single stable tempera-<br>ture in the wine cooler. | Individual cooling<br>zones. You choose<br>which zone is cold and<br>warm. | A single stable tempera-<br>ture in the cabinet |
| Compressor             | Mechanical   | Mechanical  | Mechanical  | Digital Inverter                                | Digital Inverter                          | Digital Inverter                                | Digital Inverter                                | Mechanical  | Mechanical  | Mechanical   | Mechanical   | Digital Inverter                                |
| Front colour           | •  |   |   | •   | •   | •   | $\bullet$                                       |   | $\bullet \bigcirc \bigcirc \bigcirc$                    |  |  |   |
| No. of shelves         | 18   | 17  | 16  | 14  | 14  | 14  | 14  | 5   | 3   | 15   | 13   |   |
| Trim colour            | •  |   |   | •   | •   | •   | $\bullet$                                       |   |   |  |  |   |
| Shelf type             | Oak wood, Retractable<br>shelves                   | Oak wood, Retractable<br>shelves                    | Metal,<br>Retractable shelves                           | Oak wood/Metal,<br>Fully<br>retractable         | Oak wood/Metal,<br>Fully<br>retractable   | Oak wood/Metal,<br>Fully<br>retractable         | Oak wood/Metal,<br>Fully<br>retractable         | Oak wood,<br>retractable  | Oak wood,<br>retractable                                | Oak wood,<br>retractable                             | Oak wood,<br>retractable   | Beech wood,<br>Fully<br>retractable             |
| Lighting               | Orange   | Orange  | Orange  | Blue, Orange, White, Green, Red                 | Blue, Orange, White, Green, Red           | Blue, Orange, White, Green, Red                 | Blue, Orange,<br>White, Green,<br>Red           | Orange  | Orange  | Orange   | Orange   | -   |
| Reversible door        | -  | -   | -   | $\checkmark$                                    | $\checkmark$                              | $\checkmark$                                    | $\checkmark$                                    | $\checkmark$  | $\checkmark$  | $\checkmark$   | $\checkmark$   | $\checkmark$                                    |
| Lockable doors         | -  | -   | $\checkmark$  | $\checkmark$                                    | $\checkmark$                              | $\checkmark$                                    | $\checkmark$                                    | -   | -   | -  | -  | $\checkmark$                                    |
| UV-free door<br>glass  | Yes, Double insulated glass                        | Yes, Double insulated<br>glass                      | Yes, Double insulated<br>glass                          | Yes, 3-layer insulation                         | Yes, 3-layer insulation                   | Yes, 3-layer insulation                         | Yes, 3-layer<br>insulation                      | Yes, Double insulated<br>glass  | Yes, Double insulated<br>glass                          | Yes, Double insulated<br>glass                       | Yes, Double insulated<br>glass   | Yes, 3-layer insulation                         |
| Temperature<br>alarm   | -  | -   | $\checkmark$  | -   | -   | -   | -   | -   | -   | $\checkmark$   | $\checkmark$   | $\checkmark$                                    |
| Door open<br>alarm     | -  | -   | $\checkmark$  | -   | -   | -   | -   | -   | -   | $\checkmark$   | $\checkmark$   | $\checkmark$                                    |
| Adjustable<br>feet     | $\checkmark$                                       | $\checkmark$  | $\checkmark$  | $\checkmark$                                    | $\checkmark$                              | $\checkmark$                                    | $\checkmark$                                    | -   | -   | -  | -  | $\checkmark$                                    |
|                        | H: 2015mm  | H: 2015mm   | H: 1950mm   | H: 1790mm                                       | H: 1790mm                                 | H: 1790mm                                       | H: 1790mm                                       | H: 875mm  | H: 448mm  | H: 1816 mm   | H: 1816 mm   | H: 1720mm                                       |
| Dimensions             | W: 750mm   | W: 750mm  | W: 595mm  | W: 595mm  | W: 595mm                                  | W: 595mm  | W: 595mm  | W: 555mm  | W: 550mm  | W: 505 mm  | W: 505 mm  | W: 595mm  |
| \V/oight               | D: 720mm   | D: 720mm  | D: 705mm  | D: 575mm  | D: 575mm                                  | D: 397mm  | D: 397mm  | D: 555mm  | D: 555mm  | D: 571 mm<br>85 kg                                   | D: 571 mm  | D: 725mm  |
| 80 Weight              | 143 kg   | 143 kg  | 87.8 kg   | 120 kg  | 122 kg                                    | 100 kg  | 101 kg  | 45 kg   | 24.5 kg   | 03 NY  | 86 kg  | <sup>102 kg</sup> 81                            |





At Pevino we take great pride in being a manufacturer of premium wine coolers for even the most discerning wine enthusiast.

As a Danish brand we are deeply rooted in the Scandinavian design tradition and all our products are designed at our own facilities in the town of Hillerød just north of the capital, Copenhagen.

All wine coolers in the Pevino 2021 Collection are characterized by minimalistic design aesthetics, a consistent high level of build quality and a passionate focus on every single detail.

Welcome to the world of Pevino.



Pevino ApS - Rønnevangsalle 8 - 3400 Hillerød, Denmark - Telephone: (+45) 42 90 33 44 - E-mail: info@pevino.com

www.pevino.com